


# WHATTHEHELL & NECROMANCER



• Okay, it's almost midnight. You've been at your drawing board for a few hours now drawing a funny-looking flying wing thing that you're not sure will even fly. All that's left to do is think of a name and write it in the title block so that you can hit the sack. What the hell would you name it?

Aside from the difficult chore of naming these models, I really do like to design model aircraft, especially weird model aircraft. I generally stick to relatively small designs, partly because of my small drawing board, but mostly because it's so easy to experiment with them. Crashing a simple Half-A canard that took two weeks to build is much less painful than seeing a .60-


**By BRUCE THARPE. . . Two half-A R/C designs that share a lot of similarities are the result of the author's late-night imagination. Building is simple, and the flying? Let's just say that it is a blast!**

powered one munch it during the first critical seconds of the test flight. The tiny model can be hand launched over a nice, grassy field and if it goes in, it probably won't be broken. If your experiment works, then you build the .60 version.

Well, I really did build a Half-A canard, and it really did crash, and no, I didn't build

the big version. That's the beauty of experimentation with small models—you can try virtually any oddball design with a minimum expenditure of time, money, and frustration. And if you're lucky, some of the ships may actually fly!

The Whatthehell is a prime example of this technique. I honestly did not know if it would fly or not when the time came to try it. I had designed other flying wings, but they were basically powered gliders (Half-A's, of course) with cambered airfoils and reflexed trailing edges. They flew fine, but I wanted a flying wing with high performance and good stunting capability, much like Bill Evans' Scimitar series. His planes




- NOTES:
1. THESE NOTES ARE OBVIOUSLY NECESSARY TO FILL THESE LARGE EMPTY SPACES.
  2. THIS IS THE SKETCH OF A PLANNED SERIES OF FIVE ARTICLES (OF COURSE IF IT COULD BE, IT IS ASSESS THE SKETCH BY YOURSELF).
  3. USE THE THINNESS GUIDE TO DETERMINE APPROPRIATE.
  4. IF THE INDICATED C.G. POINTS WERE NOT USE IT, DON'T WORRY ABOUT IT, JUST ASSESS YOUR OWN.
  5. IF YOU'RE RECOMMENDED TO "DUMP-OUT" TWO CHANNELS, EVEN ALIGNED, USE CONTROL MIXER BETWEEN ELEVATORS & SERVOES.
  6. WHY AM I WRITING LARGER ALL THE TIME?
  7. WHAT'LL WE DO WITH THIS SPACE?
  8. HARD TO HAVE AT LEAST 10 NOTES VIA MAIL.

WHATTHEHELL  
By Bruce A. Turner


MODEL BUILDER  
magazine  
Plan No. 3871-A

TWO-FOR-ONE FULL-SIZE PLANS AVAILABLE—SEE PAGE 114



NECROMANCER  
Designed By  
Bruce A. Turner

MODEL BUILDER  
magazine  
Plan No. 3871-B



The first of the author's flying wing-type half-A models, the Whathehell has a symmetrical airfoil for neutral stability. Looping and rolling maneuvers were accomplished with ease.

use a slightly cambered airfoil with very little reflex. Carrying this a bit further, I went with a symmetrical airfoil and no reflex, but I worried about stability. Would it be controllable? Theoretically, a symmetrical airfoil has neutral stability which should be alright. Besides, it's been done before; I've seen the R/C combat jobs in magazines so it's got to work!

Then I decided, "Ah, what the hell, I'll just build one and see if it flies!" I knew that I didn't want to spend too much time on the project which meant it must be as simple as possible. That led to the constant-chord wing and the rather squared-off look that it has. It took about two weeks of sporadic work to finish the Whathehell and get down to business.

A couple of good test glides were encouraging, but not totally conclusive. But the test flight strongly confirmed that it was a winner! All looping and rolling maneuvers, inside and outside, were accomplished with ease. At 18 ounces, the Whathehell performed well and above my expectations and has been a truly *fun* plane to fly.


### CONSTRUCTION

I simply love to design, and I love to design simply. I just can't envision any modeler who feels capable of flying the Whathehell having any troubles during construction. You probably already have enough scrap wood laying around to build it. One change that you may wish to make is eliminating the dihedral and building the wing in one piece. I only put the dihedral in for looks, basically. Modifications to fit personal preferences are, as always, strongly encouraged. You will be happiest only when the model looks the way you want it to look.

### FINISHING TOUCHES

The Whathehell can be finished any way that you wish, but some type of plastic covering is recommended to save time and weight. Mine is covered entirely with transparent red MonoKote with yellow and black trim MonoKote for the decorations.

Mount a hot .049 or .051 securely to the firewall using a commercial engine mount. Install a two-ounce fuel tank as high as possible in the fuselage to get it nearly in line with the needle valve on the engine. I



Radio installation is tight, but author's four-channel Futaba system fit nicely under two-ounce fuel tank in front of wing. A 100mah battery pack was used to save weight.



Inexpensive 1/2A engine is more than adequate for the Whathehell.

added the "cat whisker" skids for landing on concrete, but haven't tried it yet.

### RADIO INSTALLATION

I won't try to fool you into thinking that the Whathehell has a lot of room for the radio, because it doesn't. If you have a micro system there's no problem, but most of us don't. My four-channel Futaba receiver fit nicely under the two-ounce tank in front of the wing. I also used a 100 mah battery pack to save space and weight. The mixer (I used a Du-Bro) and linkages will take up most of the remaining space. The former will probably have to be cut away quite a bit to clear all the equipment. Try to mount the switch in a spot that won't interfere with hand launches.

### FLYING

Get that C.G. within 1/8 inch of that shown on the plan. Use lead if you have to—this may add a little weight, but it's worth it; trust me. The elevons should be set in a neutral position.

Fire the engine up and have at it. The plane is fast and incredibly responsive so be gentle with the sticks until you have a good feel for it. Try a roll, but be careful! The first time I gave it full aileron for a roll it did about three before I could let go—I was lucky that it was right-side-up when it came out of the stunt! It won't go out of sight rolling straight up, but it's pretty spectacular for a Half-A job. When the engine quits, just glide it into a soft landing on the grass.

I think that I have had more fun flying this little bugger than any other R/C plane that I've built. This might be just the perfect plane for you to fly after work at that big field down the street. Or if you normally fly from a grass field you can use it as a quick diversion from your pattern training or scale jobs. And when one of your flying buddies walks over and asks, "What the hell is that?" you can politely grin and respond, "That's right!"

### List of Materials

- (3) 1/8 x 1 x 36 Balsa—Spar, Trailing Edge, Elevons
- (1) 1/16 x 3 x 36 Balsa—Ribs, Sheeting, Wingtips
- (1) 1/4 sq. x 36 Balsa—Leading Edge
- (2) 1/8 x 3 x 36 Balsa—Fuselage Sides, Top, and Bottom, Former, Fin
- (1) 1/8 Plywood (Scrap)—Firewall, Wing Hold Down
- (1) 1/16 Music Wire—Torque Rods, Push Rods
- (1) Dubro Control Mixer
- (1) Sullivan Two-Ounce Slant Fuel Tank
- (1) Half-A Engine Mount and Screws



As in Whathehell, a half-A engine is used; 6-3 prop, 1-1/2-inch Goldberg spinner tops it off.

\* \* \*

Necromancer is a follow-up design to the Whathehell flying wing. The Whathehell is a great model for flying, but its squarish lines admittedly leave a bit to be desired in terms of appearance. Necromancer was designed for stylish looks while maintaining simplicity.

It had to be simple, because I began the whole project just two weeks before the Northrop Flying Wing Contest. The plans were drawn in two days, but I got bogged down in class work and was only able to finish the wing and most of the fuselage.

Appearance and ease of construction were placed above performance while designing the Necromancer. I always thought that a tapered, swept wing of short span



Elevator and aileron servos are both mounted in wing, mixed with Du-Bro mixer.

would look nice on a model, so I tried it. With the engine so far out in front, a long fuselage behind the wing was necessary for balance. The small cowling makes getting to the engine simple, and the spinner completes the sleek look.

It's a bit more work than the Whathehell, but the work that you put into your Necromancer will be instantly repaid the first time you do a low pass down the strip. Its long, tapered fuselage and swept fin really give the impression of high speed, even though it is actually no faster than most sport Half-A's.

Due to its larger size and greater weight (23 oz. vs. 18 oz.), the Necromancer won't perform like the Whathehell (few Half-As will). However, it will do anything that can be done with a two-channel aircraft, including the most beautiful axial rolls that I've seen. The plane is smooth and predictable and most importantly, it has "class."

I first came across the name Necromancer in *Firestarter*, a novel by Stephen King. In the story, Necromancer was a beautiful black horse. A dictionary defines a necromancer as "one who foretells the future through communication with the dead." Kind of spooky, huh? I tried



Evolution of the Whathehell design resulted in the Necromancer, noticeably sleeker and more refined than the earlier version. Stylish looks belie simplicity of construction.

to maintain the image by painting the fuselage black and adding the little "fire-devils" to the fin.

#### CONSTRUCTION

The price you pay for building a tapered wing is having to cut out those ribs! I cut them out one at a time, which took a while, but they were accurate and didn't have beveled edges like they would with a stack-and-sand technique. Once this chore is finished, construction is a breeze.


Build the wing halves upside-down over the plans, insuring that the root rib is straight. My Necromancer has dihedral, but the plans now indicate a flat wing. The dihedral actually causes the plane to be overly stable, making inverted flight and outside maneuvers difficult to perform well. You may also want to leave the wing-tips off if you think it will look better.

Sheet the center section, then butt-glue the halves together with epoxy. A low

aspect ratio wing such as this doesn't need any center braces for strength. Bend torque rods from 1/16 music wire and epoxy them to the elevons. I covered the wing with transparent red MonoKote, then hinged and covered the ailerons at the same time. The wing center section is black MonoKote, and gold MonoKote trim separates the colors.

The box fuselage shouldn't present any problems. The cowl is formed from thick sheets of balsa. Temporarily mount the engine to locate the spinner ring. Sand the cowl to shape using the plywood spinner ring as a guide. Glue the fin in place and finish the fuselage as you desire. My fuselage was filled with clear dope and painted black. If you plan to land the model on a concrete runway, be sure to add a hardwood or music wire skid.

*Continued on page 68*





Other planes may outperform the Necromancer, but her style and elegance more than make up for any performance deficiencies she may possess.

**NI-STARTER™**  
**CHARGER NOW HAS L.E.D.**  
 Power for glow plugs that fits in a shirt pocket! Fits any standard 1.5 volt glow plug. Stays on plug, not in propeller! Locks onto plug using Headlock™ adapter. Rechargeable up to 1,000 times. Fits through cowlings. Charger and instructions included. 90 day guarantee plus 9 month extended service warranty. Bank cards accepted. C.O.D.'s add \$1.75 for shipping and handling.

**\$26.95**

See your dealer, or send this ad with order and get **FREE SHIPPING!** U.S. only.

**McDaniel R/C SERVICE**  
 12421 Ransom Drive, Glenn Dale, MD 20769 · (301) 464-2260

**AT LAST...**  
 A Free Flight Model Retrieval System that works... **EVERY TIME.**

An ultra light weight, long range miniature transmitter combined with a highly sensitive receiver and directional antenna will quickly help you track and locate your plane.

**NEVER LOSE ANOTHER MODEL!**  
 Send SASE For Brochure

**Jim Walston**  
 Retrieval Systems  
 725 Cooper Lake Rd. S.E.  
 Smyrna, GA 30080  
 404/434-4905




2. What is the cubic inch displacement of a Comet .35?
3. The Lake Charles, LA, Nationals were held in what state? (State of confusion is incorrect.)
4. The Carl Goldberg Perpetual Trophy is named after what famous modeler?
5. In what year were the '41 Nats held?
6. What are the initials for the Academy of Model Aeronautics?
7. How many cylinders does the OK Twin have?
8. How many quarts are there in a gallon of nitrate thinner?
9. How much fuel can you put into a two-ounce pacifier tank?
10. What is the name of the company that

**ATTENTION 1/4 SCALERS**

**EPOXY GLASS COWLS FOR:**  
 NOSEN, PICA, SID MORGAN, Balsa USA, PLATT, CONCEPT FLEET, HOSTETLER, RCM T-CRAFT, SHEBER PITTS 1/2 & 1/4 SCALE, SUPER CUB, FOKKER D-7, BOEING P-12, P-26, F4B2, F4B4, SPARROW HAWK, GEE BEE MOD "Y", MACBRIEN'S TURBULENT, CHRISTEN EAGLE, BRISIGHELLA'S STARDUSTER II, 1/2 SCALE J3-BI BABY, FLYBABY, & OTHERS

**WHEEL PANTS FOR:**  
 CITABRIA, STARDUSTER II, PITTS, SKYBOLT, LIBERTY SPORT, CHRISTEN EAGLE, P.B.E. HAWK, MULLIGAN & OTHERS

**LARGE SCALE PLANS AVAILABLE**  
 Please send \$1.00 for complete list.

We supply Modelers with fiberglass parts for your plans—Write or call us:  
**T & D FIBERGLASS SPECIALTIES**  
 30925 BLOCK, GARDEN CITY, MI 48135  
**PHONE (313) 421-6358**

**BRAZED & HEAT-TREATED WIRE GEARS & CABANES**  
**PHONE (313) 261-9064**

sells SIG balsa?  
 Test Analysis: 8-10 correct answers signifies love and understanding; 5-7 signifies tolerance; 3-4 signifies that you and your spouse probably do not share common interests; 1-2 signifies that she thinks that you are stupid; a "0" denotes that she is the one who is stupid.  
 And finally from the Okie Flyer: "Denial is not a river in Egypt!"  
 I hope you have a great 1987. Keep those cards and letters coming, and until next time, catch a thermal for me. •

**Electric..... Continued from page 33**  
 not use the transmitter (easily done, he can hold it). A Cannon super mini system is .5

ounce for the receiver, .5 ounce for the servo, and .5 ounce for the receiver pack if you use the new SR Batteries 50 mah pack. Figure on slightly less than 2 ounces for radio gear. On most 020 to 05 free flights, this is not much of a weight penalty. Sounds good, go for it!

Last, but not least, Leisure Electronics sent me a beautiful 8 x 10 black and white print of their new plane, the Amptique. It is said to be a "hands off" electric R/C trainer, using the Leisure 05 stock motor geared 2.5:1 system. Span is 61 inches; weight, 35 ounces; 518 sq. in.; price, \$39.95. It does look good, and any trainer that is truly hands off flying is good news, there are very few of them around. One that is in that category, and one of the finest available, is the Leisure Playboy, so Leisure has the know how for designing hands-off flying planes (it is NOT easy to design hands-off planes!). For more info on this and the rest of the excellent Leisure line, send to 22971 "B" Triton Way, Laguna Hills, California 92653; phone (714)581-1198. I particularly recommend the Leisure stock 05 motor, it is great. For now, fly easy, fly electric! •

**Whathehell... Continued from page 17**

**FINISHING TOUCHES**  
 Mount a good T.D. .049 or .051 in the nose using a commercial engine mount. I use a 6-3 prop with a 1-1/2 inch Goldberg spinner. Use a two-ounce slant tank and pad it well with foam rubber.  
 The long fuselage leaves plenty of room for the radio equipment. The elevator and aileron servo are both mounted in the wing and mixed using a Du-Bro mixer. My 225 mah battery is mounted well aft for balancing purposes. Be sure that the switch won't interfere while hand-launching—that could be disastrous!  
 Balance the model within 1/4 inch of the balance point shown on the plans. Set the elevons to move 1/8 inch for elevator and 3/16 inch for aileron. Control response will be fast, but predictable at these settings.

**FLYING**  
 The nice thing about Half-A's is that you can fly them in nearby fields. If you live in an urban area, you can usually find an industrial area with large open spaces. You probably won't be bothered if you fly early in the morning, late in the evening, or on Sundays.

The test flight will be easier if you can find someone to launch the plane while you concentrate on flying. You will find that the Necromancer flies very much like any two-channel ship—but, like I said, that first low pass will be the big payoff. All looping and rolling maneuvers can be accomplished. Other planes may outperform your Necromancer, but the style and elegance of this bird more than make up for it.

I fear that I may have gone overboard in my enthusiasm for this plane, but the pleasure that it has brought clouds my view. I honestly believe that if you decide to build a Necromancer, it will be just as enjoyable for you. Send for your *Model Builder* plans right away—you won't regret it! Please send

**Gemini M.T.S.**  
 (A SUPERIOR MULTIPLE TASK SAILPLANE)

Standard Class R/C sailplane for sport, F3B, and AMA contests

**Specifications:**  
 Wing span 100 in.  
 Wing area 930 sq. in.  
 Flying weight 44 oz.  
 Wing loading 6.8 oz./sq. ft.  
 Wing section MB-253515  
 (15% semi-symmetrical)  
 Max. ballast 4 lbs.

**COMPLETE KIT WITH PRECISION CUT PARTS, ALL HARDWARE, AND FULL-SIZE PLANS**

**\$99.95**

**Pierce Aero Co.**  
 9626 Jellico Avenue, Northridge, CA 91325 Phone (818) 349-4758



# WEBRA is NOT Clowning around Anymore.



UNITED MODEL PRODUCTS has been appointed **exclusive** **webra** engine distributor.

Only UMP brings you the full line of race-proven WEBRA engines, and backs them with top-quality commitment and service.

WEBRA and UMP the way it should be, because when it comes to choice of engines, we're as serious as you are.



AND



UMP is a division of United Model Distributors.

any comments, suggestions, criticisms, photos, stories, etc. to Bruce A. Tharpe, 2380 Cabrillo Dr., Hayward, California 94545.

### List of Materials

- (2) 1/8 x 1 x 36 Balsa—Trailing Edge, Elevons
- (2) 3/16 x 3/8 x 36 Balsa—Spars
- (1) 1/4 sq. x 36 Balsa—Leading Edge
- (2) 1/16 x 3 x 36 Balsa—Ribs, Sheeting
- (3) 1/8 x 3 x 36 Balsa—Fuselage Sides, Top, and Bottom, Fin
- (1) 1/8 x 6 x 12 Plywood—Firewall, F2, F3
- (1) 1/16 Plywood (Scrap)—Spinner Ring, F1
- (1) 1/4 Balsa (Scrap)—Dowel Supports, Cowl
- (1) 1/16 Music Wire—Torque Rods, Push Rods
- (1) 3/16 Dia. Dowel—Wing Hold Down
- (1) Du-Bro Control Mixer
- (1) Sullivan Two-Ounce Slant Fuel Tank
- (1) Half-A Engine Mount and Screws

### Choppers. . . . Continued from page 13

an automatic pilot, and takes away some of the fun of flying. I tend to side with the latter group, probably because I learned to fly helicopters on a plain old 4-channel radio.

### INHIBIT

Mentioned in connection with the invert switch, this applies to other functions as well. Particularly for the new flier, it is just as important to be able to disengage a particular function as it is to have it in the first place. Features like dual rates and high idle are adjustable, so you can dial them out. Not so with the invert switch or throttle hold. If you accidentally engage these sys-

tems in flight, you usually crash. A beginner would do well to disengage all the switches while he is learning, but this is not always possible. The JR Century VII radio, probably the best helicopter radio around for the money, has a throttle hold that cannot be deactivated. *Extra caution is needed!*

To avoid the 'I asked you the time and you told me how to build a clock' syndrome; my answer to the original question is this: A helicopter radio is not absolutely essential, but is very helpful. If you have a regular airplane radio already and just want to get your feet wet in R/C helicopters at the lowest cost possible, try one of the smaller, less expensive helicopters and use the radio you've got. If you want to do it right, a good

helicopter radio should be right at the top of your list. If you need to buy a radio and want to use it for both fixed wing and helicopters, definitely buy the helicopter radio since it can better be adapted to fixed-wing aircraft than vice-versa.

The best use of the new technology in radios has been in taming those tricky whirlybirds. I presently own a Futaba PCM 8, and I am rapidly getting 'spoiled' on the tremendous capability of this radio. Another radio that I am very impressed with is the Multiplex Royal programmable radio which features interchangeable modules, overlays, and moveable switches that permit you to practically custom design your own radio. They are sold direct by Beemer R/C

## FOUR CYCLE ENGINE MOUNTS

Want GOOD Four Cycle cast aluminum engine mounts? Mounts that are drilled and tapped to fit the engines perfectly? We have a new generation of mounts for all Four Cycle engines.

### ENGINE TEST STANDS CAST ALUMINUM




REGULAR 1/2A TO 60 \$11.50  
GIANT 1/2A TO 2.5 \$25.00

If not available at your hobby shop, ORDER DIRECT for immediate shipment. Check, MO, Visa, MC or COD accepted. Add \$2.50 for UPS, \$2.00 for COD, and 6% sales tax for Calif. resident.

### DRILLED AND TAPPED FOR:

HP VT 21	10.00
ENYA 35-40 4C	10.00
SAITO FA 30	10.00
OS MAX 40 FC	10.00
OS MAX 40S	10.00
OS MAX 48S	10.00
SAITO FA 40-45	10.00
ENYA 48 4C	10.00
WEBRA T4-40	10.00
HP VT 49	12.00
UNDRIILLED FOR 50-90	11.00
OS MAX FS 51	13.00
OS MAX FS 50-75-90	13.00
ENYA 50-80-90-120 4C1300	15.00
UNDRIILLED FOR 120	15.00
ENYA R 120 RC	20.00
OS MAX FS 120	18.00
OS MAX 120S	18.00
SAITO FA 120	18.00
SUPER TIGRE 2500	18.00



164 School St. Daly City, CA 94014  
(415) 756-3400